



Tire Chart

Section 1

Passenger and Light Trucks
Pg. 2-6

Section 2

Highway Trucks and Buses
Pg. 7-8

Section 3

Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)
Pg. 9-18

Section 4

All Terrain Vehicles, Golf Carts
Pg. 19

Section 5

Motorcycles and Scooters
Pg. 20-21

Section 6

Bicycles
Pg. 22

Section 7

Tire Prefix/Suffix Glossary
Pg. 23

1 oz. = 1 unit on pump.

Tires are organized by rim size which is the last number in a tire designation. For example, a P205/70R16 is a tire for a 16 inch rim.

For special applications, technical support, or general questions, call (800) 346-9090

www.ultraseal.com

tirelife@ultraseal.com

rev. 0912

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
10" Rims			P205/70R13	14	0.41	P225/75R14	17	0.50
135/95-10LT	8	0.24	145/65-13	9	0.27	T105/70-14	6	0.18
145/95-10LT	9	0.27	155/65-13	9	0.27	T115/70-14	7	0.21
135/80-10	7	0.21	P165/65R13	10	0.30	T125/70-14	7	0.21
145/80-10	8	0.24	175/65-13	11	0.33	165/70-14	11	0.33
165/70-10	9	0.27	185/65-13	12	0.35	P175/70R14	12	0.35
155/65-10LT	8	0.24	P195/65R13	13	0.38	P185/70R14	13	0.38
145-10LT	8	0.24	155/60-13	9	0.27	P195/70R14	14	0.41
5.00-10LT	8	0.24	165/60-13	10	0.30	(P, LT)205/70R14	15	0.44
5.20-10	7	0.21	175/60-13	11	0.33	(P, LT)215/70R14	16	0.47
12" Rims			P185/60R13	12	0.35	P225/70R14	17	0.50
135/95-12LT	8	0.25	P195/60R13	13	0.38	P235/70R14	18	0.53
145/95-12LT	9	0.28	P205/60R13	13	0.38	P245/70R14	19	0.56
135/80-12	8	0.24	P215/60R13	14	0.41	155/65R14	10	0.30
P145/80R12	9	0.27	P235/60R13	16	0.47	P165/65R14	11	0.33
P155/80R12	10	0.30	185/55-13	10	0.30	P175/65R14	11	0.33
145/70-12	8	0.24	195/55-13	12	0.35	P185/65R14	13	0.38
155/70-12	9	0.27	175/50-13	10	0.30	P195/65R14	14	0.41
P165/70(R, D)12	10	0.30	215/50-13	14	0.41	205/65-14	14	0.41
175/70-12	11	0.33	145R13	9	0.27	P215/65R14	16	0.47
155/65-12	9	0.27	155R13, (LT)	10	0.30	165/60R14	10	0.30
165/60-12	10	0.30	165R13, (LT)	11	0.33	P175/60R14	11	0.33
145-12LT	9	0.27	175R13	12	0.35	P185/60R14	12	0.35
155R12	10	0.30	5.50-13LT	10	0.30	P195/60R14	13	0.38
155-12LT	10	0.30	5.60-13	10	0.30	P205/60R14	14	0.41
5.50-12	9	0.27	6.00-13LT	12	0.35	P215/60R14	15	0.44
5.65-12	9	0.27	6.15-13	10	0.30	P225/60R14	16	0.47
13" Rims			6.45-13	11	0.33	P235/60R14	17	0.50
155/95-13LT	11	0.32	7.00-13	13	0.38	P245/60R14	18	0.53
165/95-13LT	12	0.35	13.5" Rims			P255/60R14	19	0.56
T105/80-13	6	0.19	175/60-13.5LT	11	0.33	P265/60R14	20	0.59
T125/80-13	8	0.23	14" Rims			P275/60R14	21	0.62
135/80-13	8	0.24	165/95-14LT	12	0.36	155/55-14	9	0.27
P145/80(R, D)13	9	0.27	175/95-14LT	14	0.40	165/55-14	10	0.30
P155/80R13	10	0.30	T135/80-14	8	0.25	185/55-14	12	0.35
P165/80R13	11	0.33	145/80-14	9	0.27	195/55-14	13	0.38
P175/80R13	12	0.35	P165/80(R, D)14	11	0.33	P205/55R14	14	0.41
P185/80R13	13	0.38	P175/80(R, D)14	13	0.38	P255/55R14	19	0.56
P165/75(R, D)13	11	0.33	P185/80(R, D)14	13	0.38	245/50-14	17	0.50
P175/75(R, D)13	12	0.35	195/80-14	15	0.44	265/50-14	19	0.56
P185/75(R, D)13	12	0.35	205/80-14	15	0.44	145R14	10	0.30
145/70R13	9	0.27	165/75-14	11	0.33	155R14	11	0.33
P155/70R13	10	0.30	(P, LT)175/75R14	12	0.35	165R14, (LT)	12	0.35
P165/70R13	11	0.33	(P, LT)185/75R14	13	0.38	175R14, (LT)	13	0.38
P175/70R13	11	0.33	(P, LT)195/75R14	14	0.41	185R14, (LT)	14	0.41
P185/70R13	12	0.35	P205/75R14	15	0.44	195-14LT	15	0.44
P195/70R13	13	0.38	(P, LT)215/75R14	16	0.47	205R14	16	0.47

	Ozs. Liters			Ozs. Liters			Ozs. Liters	
5.5-14LT	11	0.33	P225/70R15	18	0.53	275/55-15	22	0.65
6.00-14LT	13	0.38	P235/70R15	19	0.56	295/55-15	24	0.71
6.40-14	12	0.35	(P, LT)245/70R15	20	0.59	P345/55R15	30	0.89
6.45-14	12	0.35	(P, LT)255/70R15	21	0.62	165/50-15	10	0.30
6.50-14LT	14	0.41	(P, LT)265/70R15	23	0.68	175/50-15	11	0.33
6.95-14	13	0.38	P275/70R15	24	0.71	185/50R15	12	0.35
7.00-14LT	14	0.41	(P, LT)285/70R15	25	0.74	195/50-15	12	0.35
7.90-14LT	15	0.44	P305/70-15	28	0.83	205/50-15	13	0.38
8.00-14	16	0.47	LT315/70R15	30	0.89	215/50-15	15	0.44
8.50-14LT	16	0.47	145/65R15	9	0.27	225/50-15	16	0.47
11.00-14LT	23	0.68	165/65R15	11	0.33	245/50-15	18	0.53
26x8.50R14LT	16	0.47	175/65-15	12	0.35	265/50-15	20	0.59
27x8.50R14LT	16	0.47	P185/65R15	13	0.38	275/50-15	21	0.62
14.5" Rims			P195/65R15	14	0.41	295/50-15	23	0.68
205/60-14.5LT	14	0.41	P205/65R15	15	0.44	305/50-15	24	0.71
7.00-14.5LT	14	0.41	P215/65R15	16	0.47	325/50-15	26	0.77
8-14.5LT	16	0.47	225/65-15	17	0.50	125R15	8	0.24
9-14.5LT	19	0.56	P235/65R15	18	0.53	135R15	9	0.27
15" Rims			LT245/65-15	19	0.56	155R15	11	0.33
T125/90-15	9	0.27	P255/65R15	21	0.62	165R15	12	0.35
T135/90-15	9	0.27	P295/65R15	25	0.74	165-15LT	12	0.35
T125/80-15	8	0.24	135/60-15	8	0.24	195-15LT	15	0.44
T135/80-15	9	0.27	155/60R15	10	0.30	205-15LT	16	0.47
P155/80(R, D)15	11	0.33	165/60R15	11	0.33	215-15LT	17	0.50
P165/80(R, D)15	12	0.35	175/60R15	11	0.33	5.60-15	10	0.30
175/80-15, (LT)	13	0.38	180/60-15	12	0.35	6.00-15LT	13	0.38
185/80-15LT	14	0.41	P185/60R15	13	0.38	6.50-15LT	15	0.44
P195/80(R, D)15	15	0.44	P195/60R15	13	0.38	6.70-15LT	15	0.44
LT215/80R15	17	0.50	P205/60R15	15	0.44	7.00-15LT	17	0.50
225/80-15	18	0.53	P215/60R15	16	0.47	7.10-15LT	16	0.47
185/75-15LT	13	0.38	P225/60R15	17	0.50	7.50-15LT	20	0.59
(P, LT)195/75R15	15	0.44	P235/60R15	18	0.53	9.00-15LT	21	0.62
(P, LT)205/75R15	16	0.47	P245/60R15	19	0.56	10R15LT	16	0.47
(P, LT)215/75R15	17	0.50	P255/60R15	20	0.59	11.00-15LT	24	0.71
(P, LT)225/75R15	18	0.53	P265/60R15	21	0.62	12.00-15LT	29	0.86
(P, LT)235/75R15	19	0.56	P275/60R15	22	0.65	12.10-15	31	0.92
(P, LT)245/75R15	21	0.62	P295/60R15	24	0.71	L78-15LT	20	0.59
LT255/75-15	22	0.65	P315/60R15	27	0.80	28x8.5-15	17	0.50
(P, LT)265/75R15	23	0.68	LT325/60R15	28	0.83	29x9.50R15LT	19	0.56
T115/70-15	7	0.21	165/55R15	10	0.30	30x9.50R15LT	20	0.59
T125/70-15	8	0.24	175/55R15	11	0.33	31x10.50R15LT	23	0.68
T135/70-15	9	0.27	185/55R15	13	0.38	31x11.50R15LT	25	0.74
P175/70R15	12	0.35	P195/55R15	13	0.38	31x12.50R15LT	27	0.80
P185/70R15	13	0.38	P205/55R15	14	0.41	32x11.50R15LT	26	0.77
P195/70R15, (LT)	15	0.44	215/55-15	15	0.44	32x12.5-15LT	31	0.92
P205/70R15, (LT)	16	0.47	P225/55R15	16	0.47	33x9.50R15LT	22	0.65
P215/70R15	17	0.50	P255/55R15	19	0.56	33x10.50R15LT	25	0.74

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
33x12.50R15LT	29	0.86	LT345/75-16	35	1.04	185/55-16	13	0.38
33x15.50R15LT	36	1.06	LT365/75-16	39	1.15	P195/55R16	14	0.41
35x12.50R15LT	31	0.92	T115/70-16	8	0.24	P205/55R16	15	0.44
35x13.50R15LT	34	1.01	T125/70-16	8	0.24	P215/55R16	16	0.47
36x14.50R15LT	37	1.09	T135/70-16	9	0.27	P225/55-16	17	0.50
36x15.50R15LT	39	1.15	195/70-16LT	15	0.44	P235/55R16	18	0.53
37x12.50R15LT	33	0.98	205/70-16, (LT)	16	0.47	245/55-16	19	0.56
37x13.50R15LT	36	1.06	(P, LT)215/70R16	17	0.50	LT315/55R16	27	0.80
37x14.50-15	38	1.12	(P, LT)225/70R16	18	0.53	LT345/55R16	31	0.92
38x15.50R15LT	41	1.21	(P, LT)235/70R16	20	0.59	LT375/55-16	36	1.06
15.5" Rims			(P, LT)245/70R16	21	0.62	195/50-16	13	0.38
185/70-15.5LT	13	0.38	(P, LT)255/70R16	22	0.65	205/50-16	14	0.41
195/70-15.5LT	15	0.44	(P, LT)265/70R16	24	0.71	215/50-16	15	0.44
215/60-15.5LT	15	0.44	(P, LT)275/70R16	25	0.74	225/50-16	16	0.47
16" Rims			LT285/70-16	26	0.77	235/50-16	17	0.50
T125/90-16	9	0.27	LT305/70R16	29	0.86	245/50-16	18	0.53
T135/90-16	10	0.30	LT315/70R16	30	0.89	255/50-16	19	0.56
T145/90-16	11	0.33	LT335/70-16	33	0.98	265/50-16	21	0.62
T155/90-16	12	0.35	LT355/70-16	36	1.06	275/50-16	22	0.65
185/85-16LT	15	0.44	LT365/70-16	38	1.12	295/50-16	24	0.71
195/85-16LT	16	0.47	LT385/70-16	41	1.21	205-16LT	17	0.50
205/85-16LT	17	0.50	LT3958/70-16	43	1.27	6.00-16LT	14	0.41
LT215/85R16	19	0.56	185/65-16	14	0.41	6.50-16LT	15	0.44
225/85-16LT	20	0.59	195/65-16LT	14	0.41	7.00-16LT	19	0.56
LT235/85R16	21	0.62	(P, LT)205/65R16	16	0.47	7.50-16LT	20	0.59
LT255/85R16	24	0.71	P215/65R16	17	0.50	8.25-16LT	22	0.65
T125/80-16	9	0.27	P225/65R16	18	0.53	9.00-16LT	26	0.77
T135/80-16	9	0.27	P235/65R16	19	0.56	16.5" Rims		
T145/80-16	10	0.30	P255/65R16	21	0.62	8.00-16.5LT	16	0.47
(P, T)155/80-16	11	0.33	P265/65R16	23	0.68	8.75-16.5LT	18	0.53
175/80-16	13	0.38	P275/65R16	24	0.71	9.50-16.5LT	21	0.62
195/80-16	16	0.47	P285/65R16	25	0.74	10.00-16.5LT	22	0.65
205/80-16	17	0.50	P295/65R16	26	0.77	12.00-16.5LT	28	0.83
215/80-16	18	0.53	LT375/65-16	38	1.12	31x10.5R16.5LT	23	0.68
235/80-16	20	0.59	T135/60-16	9	0.27	33x12.5R16.5LT	30	0.89
LT325/80-16	33	0.98	175/60-16	12	0.35	35x12.5-16.5LT	31	0.92
185/75-16	14	0.41	185/60-16	13	0.38	36x12.5-16.5LT	32	0.95
195/75-16	15	0.44	195/60-16	14	0.41	37x14.5-16.5	38	1.12
205/75-16	16	0.47	P205/60R16	15	0.44	17" Rims		
P215/75R16	17	0.50	P215/60-16	16	0.47	225/95-17	23	0.68
(P, LT)225/75R16	18	0.53	P225/60-16	17	0.50	T135/90-17	10	0.30
P235/75R16	20	0.59	P235/60R16	18	0.53	T145/90-17	11	0.33
(P, LT)245/75R16	21	0.62	P255/60R16	21	0.62	T155/90-17	12	0.35
(P, LT)265/75R16	24	0.71	265/60-16	22	0.65	T165/90-17	13	0.38
LT285/75R16	27	0.80	275/60R16	23	0.68	T175/90-17	14	0.41
LT295/75R16	28	0.83	(P, LT)285/60R16	24	0.71	T125/80-17	9	0.27
LT315/75R16	31	0.92	365/60R16	34	1.01	T135/80-17	10	0.30

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
T145/80-17	11	0.33	325/60-17	30	0.89	195/85-18LT	17	0.50
T155/80-17	12	0.35	LT285/60-17	25	0.74	215/85-18LT	20	0.59
T165/80-17	12	0.35	175/55-17	14	0.41	T135/80-18	10	0.30
LT235/80R17	21	0.62	P215/55R17	17	0.50	T145/80-18	11	0.33
LT255/80-17	24	0.71	P225/55R17	18	0.53	T155/80-18	12	0.35
205/75-17	17	0.50	P235/55R17	19	0.56	T175/80-18	14	0.41
225/75-17	19	0.56	P255/55R17	21	0.62	LT285/75-18	28	0.83
235/75-17	20	0.59	P265/55R17	22	0.65	LT305/75-18	31	0.92
245/75-17	22	0.65	P275/55R17	23	0.68	T135/70-18	10	0.30
P255/75R17	23	0.68	LT345/55R17	32	0.95	T15570-18	11	0.33
LT285/75-17	27	0.80	205/50-17	15	0.44	215/70-18	18	0.53
LT295/75-17	29	0.86	215/50-17	15	0.44	245/70-18	22	0.65
T125/70-17	8	0.24	225/50-17	16	0.47	P255/70R18	24	0.71
T135/70-17	10	0.30	235/50-17	18	0.53	P265/70R18	25	0.74
T145/70-17	10	0.30	245/50-17	18	0.53	(LT)275/70-18	26	0.77
T155/70-17	11	0.33	255/50-17	20	0.59	LT285/70-18	28	0.83
215/70-17	18	0.53	33x12.50R17LT	29	0.86	LT295/70-18	29	0.86
225/70-17	19	0.56	35x12.50R17LT	31	0.92	LT305/70-18	31	0.92
235/70-17	20	0.59	36x14.50R17LT	37	1.09	LT315/70-18	32	0.95
(P, LT)245/70R17	21	0.62	37x12.50R17LT	33	0.98	T145/65-18	10	0.30
255/70-17	23	0.68	37x13.50R17LT	36	1.06	P235/65R18	20	0.59
(P, LT)265/70R17	24	0.71	38x13.50R17LT	37	1.09	245/65-18	21	0.62
LT275/70R17	25	0.74	38x14.50R17LT	39	1.15	255/65-18	23	0.68
LT285/70R17	27	0.80	38x15.50R17LT	41	1.21	265/65-18	24	0.71
LT295/70-17	28	0.83	39x13.50R17LT	37	1.09	P275/65R18	25	0.74
LT305/70R17	30	0.89	40x13.5R17LT	38	1.12	LT285/65R18	27	0.80
LT315/70R17	31	0.92	40x14.5R17LT	42	1.24	LT295/65-18	28	0.83
LT325/70-17	33	0.98	42x14.5R17LT	44	1.30	LT305/65-18	29	0.86
355/70-17	37	1.09			LT325/65-18	32	0.95	
215/65-17	17	0.50	<u>17.5" Rims</u>		LT395/65-18	44	1.30	
P225/65R17	18	0.53	225/90-17.5LT	21	0.62	T135/60-18	9	0.27
P235/65R17	20	0.59	205/80-17.5LT	18	0.53	LT205/60-18	16	0.47
(P, LT)245/65R17	21	0.62	225/80-17.5LT	20	0.59	P225/60R18	18	0.53
P255/65R17	22	0.65	195/75-17.5	16	0.47	235/60-18	19	0.56
P265/65R17	23	0.68	205/75-17.5	17	0.50	P245/60R18	21	0.62
P275/65R17	24	0.71	195/70-17.5LT	16	0.47	255/60-18	22	0.65
P285/65R17	26	0.77	205/70-17.5LT	17	0.50	P265/60R18	23	0.68
LT305/65-17	29	0.86	215/70-17.5LT	18	0.53	P275/60R18	24	0.71
T185/60-17	13	0.38	195/60-17.5LT	15	0.44	P285/60R18	26	0.77
P215/60R17	17	0.50	205/60-17.5LT	16	0.47	LT305/60-18	28	0.83
P225/60R17	18	0.53	225/60-17.5LT	18	0.53	LT325/60-18	31	0.92
(P, LT)235/60R17	19	0.56	7-17.5LT	16	0.47	LT345/60-18	34	1.01
P255/60R17	21	0.62	8-17.5LT	17	0.50	LT375/60-18	39	1.15
265/60-17	23	0.68	37x12.5-17.5	32	0.95	T185/55-18	14	0.41
P275/60R17	24	0.71	<u>18" Rims</u>		T155/90-18	12	0.35	
LT285/60-17	25	0.74	T155/90-18	12	0.35	T165/90-18	13	0.38
305/60-17	28	0.83	T165/90-18	13	0.38	T175/90-18	15	0.44
			T175/90-18	15	0.44	225/55-18	18	0.53

1 oz. = 1 unit on pump

	Ozs.	Liters		Ozs.	Liters
P235/55R18	19	0.56	255/55-20	22	0.65
245/55-18	20	0.59	P275/55R20	26	0.77
P255/55R18	22	0.65	LT285/55-20	27	0.80
P265/55R18	23	0.68	LT295/55-20	29	0.86
P275/55R18	24	0.71	LT305/55-20	30	0.89
P285/55R18	25	0.74	LT335/55-20	34	1.01
225/50-18	17	0.50	245/50-20	20	0.59
235/50-18	18	0.53	255/50-20	22	0.65
245/50-18	19	0.56	265/50-20	23	0.68
255/50-18	21	0.62	275/50-20	24	0.71
285/50-18	23	0.68	285/50-20	25	0.74
LT375/50-18	36	1.06	LT315/50-20	30	0.89
33x12.50R18LT	29	0.86	LT325/50-20	31	0.92
35x12.50R18LT	31	0.92	33x12.50R20LT	29	0.86
35x13.50R18LT	34	1.01	35x12.50R20LT	31	0.92
36x13.50R18LT	35	1.04	37x12.50R20LT	33	0.98
36x14.50R18LT	37	1.09	37x13.50R20LT	36	1.06
37x12.50R18LT	33	0.98	40x13.50R20LT	38	1.12
37x13.50R18LT	36	1.06	38x14.50R20LT	39	1.15
38x14.50R18LT	39	1.15	40x14.50R20LT	42	1.24
38x15.50R18LT	41	1.21	42x13.50R20LT	44	1.30
40x14.50R18LT	42	1.24			
19" Rims			22" Rims		
255/60-19	23	0.68	LT325/60-22	35	1.04
235/55-19	19	0.56	LT325/55-22	34	1.01
245/55-19	21	0.62	LT335/55-22	36	1.06
255/55-19	22	0.65	275/50-22	26	0.77
275/55-19	24	0.71	LT285/50-22	28	0.83
235/50-19	19	0.56	LT305/50-22	30	0.89
245/50-19	20	0.59	LT315/50-22	32	0.95
255/50-19	21	0.62	LT325/50-22	33	0.98
265/50-19	22	0.65	33x12.50R22LT	29	0.86
			35x12.50R22LT	31	0.92
20" Rims			37x13.50R22LT	36	1.06
LT325/75-20	36	1.06			
LT315/70-20	34	1.01	22.5" Rims		
LT275/65-20	27	0.80	LT235/80-22.5	25	0.74
LT285/65-20	28	0.83	LT255/80-22.5	28	0.83
LT295/65-20	30	0.89	LT275/80-22.5	32	0.95
245/60-20	22	0.65	LT315/80-22.5	38	1.12
LT265/60-20	25	0.74	LT255/70-22.5	26	0.77
P275/60R20	26	0.77			
LT285/60-20	28	0.83	24" Rims		
LT295/60-20	29	0.86	37x13.50R24LT	36	1.06
LT305/60-20	30	0.89	38x13.50R24LT	37	1.09
LT3158/60-20	32	0.95			
LT325/60-20	33	0.98			
LT355/60-20	37	1.09			
235/55-20	21	0.62			

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	High-way	On/Off Road	High-way	On/Off Road		High-way	On/Off Road	High-way	On/Off Road
14.5" Rims					15R19.5	56	72	1.66	2.13
7-14.5	18	23	0.53	0.68	16.5R19.5	64	82	1.89	2.43
8-14.5	21	26	0.62	0.77	18R19.5	71	90	2.10	2.66
9-14.5	24	31	0.71	0.92	19.5R19.5	81	103	2.40	3.05
15" Rims					20" Rims				
7.50R15	25	32	0.74	0.95	10.00/90R20	41	52	1.21	1.54
8.25R15	29	37	0.86	1.09	365/85R20	59	75	1.74	2.22
9.00R15	33	42	0.98	1.24	395/85R20	67	86	1.98	2.54
10.00R15	37	47	1.09	1.39	335/80R20	50	64	1.48	1.89
11.00R15	40	51	1.18	1.51	365/80R20	58	74	1.72	2.19
16" Rims					11.00/80-20	38	49	1.12	1.45
13.50/85-16	25	31	0.74	0.92	13.00/80-20	49	63	1.45	1.86
13.50-16	52	66	1.54	1.95	14/80R20	53	68	1.57	2.01
16.00-16	52	67	1.54	1.98	14.75/80R20	59	76	1.74	2.25
38x20-16	69	88	2.04	2.60	15.5/80-20	65	83	1.92	2.45
17" Rims					375/75-20	51	65	1.51	1.92
7.00-17	24	31	0.71	0.92	425/75-20	75	95	2.22	2.81
7.50R17	26	34	0.77	1.01	15.50/70-20	74	95	2.19	2.81
8.25R17	30	39	0.89	1.15	405/70-20	62	79	1.83	2.34
17.5" Rims					455/70-20	74	95	2.19	2.81
205/75-17.5	22	28	0.65	0.83	14.00/70-20	50	63	1.48	1.86
215/75-17.5	24	31	0.71	0.92	17.50/65-20	70	90	2.07	2.66
215/70-17.5	22	29	0.65	0.86	7.00-20	26	33	0.77	0.98
235/70-17.5	26	33	0.77	0.98	7.20-20	23	30	0.68	0.89
205/60-17.5	20	26	0.59	0.77	7.50R20	29	37	0.86	1.09
235/60-17.5	20	25	0.59	0.74	8.25R20	33	42	0.98	1.24
240/55-17.5	24	31	0.71	0.92	8.30-20	27	34	0.80	1.01
8R17.5	23	30	0.68	0.89	9.00R20	38	48	1.12	1.42
8.50R17.5	25	32	0.74	0.95	10.00R20	42	54	1.24	1.60
9R17.5	28	35	0.83	1.04	10.00-20ML	43	55	1.27	1.63
10R17.5	32	41	0.95	1.21	10.30-20	39	50	1.15	1.48
11R17.5	37	47	1.09	1.39	10.50-20	34	44	1.01	1.30
14R17.5	45	58	1.33	1.72	11.00R20	46	58	1.36	1.72
18" Rims					11.50R20	46	59	1.36	1.74
7.00-18	25	31	0.74	0.92	12.00R20	51	65	1.51	1.92
7.50R18	27	35	0.80	1.04	12.50-20	49	63	1.45	1.86
365/70-18	51	65	1.51	1.92	13.00R20	57	73	1.69	2.16
405/70-18	59	76	1.74	2.25	13.50-20	52	67	1.54	1.98
19.5" Rims					14.00R20	66	85	1.95	2.51
225/70R19.5	26	33	0.77	0.98	14.50-20	56	71	1.66	2.10
245/70R19.5	30	38	0.89	1.12	16.00R20	82	105	2.43	3.11
265/70R19.5	32	42	0.95	1.24	19.50-20	77	98	2.28	2.90
285/70-19.5	36	46	1.06	1.36	21" Rims				
305/70R19.5	40	52	1.18	1.54	12.00-21	52	66	1.54	1.95
385/65-19.5	55	70	1.63	2.07	14.00R21	66	85	1.95	2.51
445/65R19.5	68	87	2.01	2.57	14.50-21	71	91	2.10	2.69
435/50R19.5	58	74	1.72	2.19	16.00R21	82	105	2.43	3.11
8R19.5	25	32	0.74	0.95	18.00-21	77	98	2.28	2.90
9.00-19.5	29	38	0.86	1.12	23.00-21	110	141	3.25	4.17

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	High-way	On/Off Road	High-way	On/Off Road		High-way	On/Off Road	High-way	On/Off Road
22" Rims					12.50R22.5	47	60	1.39	1.77
315/80-22	48	61	1.42	1.80	12.75R22.5	48	62	1.42	1.83
8.20-22	28	36	0.83	1.06	13-22.5	53	67	1.57	1.98
8.30-22	28	36	0.83	1.06	15R22.5	60	77	1.77	2.28
9.50-22	34	44	1.01	1.30	16.5R22.5	69	88	2.04	2.60
10.00R22	44	56	1.30	1.66	18R22.5	76	97	2.25	2.87
11.00R22	48	61	1.42	1.80	24" Rims				
12.00-22	51	65	1.51	1.92	11.00R24	50	64	1.48	1.89
22.5" Rims					12.00R24	55	71	1.63	2.10
305/85R22.5	48	61	1.42	1.80	13.00R24	63	81	1.86	2.40
235/80R22.5	32	41	0.95	1.21	14.00R24	72	92	2.13	2.72
255/80R22.5	36	46	1.06	1.36	17.80-24	86	111	2.54	3.28
275/80R22.5	40	51	1.18	1.51	18.00-24	118	151	3.49	4.47
295/80R22.5	44	56	1.30	1.66	18.30-24	110	141	3.25	4.17
315/80R22.5	48	61	1.42	1.80	20.00-24	108	138	3.19	4.08
395/80-22.5	68	87	2.01	2.57	24.5" Rims				
245/75R22.5	33	43	0.98	1.27	275/80R24.5	42	54	1.24	1.60
265/75R22.5	36	46	1.06	1.36	285/80R24.5	44	56	1.30	1.66
295/75R22.5	43	55	1.27	1.63	285/75R24.5	42	54	1.24	1.60
305/75R22.5	45	58	1.33	1.72	305/75-24.5	47	60	1.39	1.77
235/70-22.5	30	38	0.89	1.12	11R24.5	44	56	1.30	1.66
255/70R22.5	34	43	1.01	1.27	12R24.5	49	62	1.45	1.83
275/70-22.5	38	49	1.12	1.45	13.5R24.5	58	74	1.72	2.19
295/70-22.5	42	54	1.24	1.60	25" Rims				
305/70R22.5	44	56	1.30	1.66	11.00-25	51	66	1.51	1.95
315/70R22.5	46	58	1.36	1.72	12.00-25	56	72	1.66	2.13
365/70-22.5	56	72	1.66	2.13	14.00R25	72	92	2.13	2.72
11.00/70-22.5	38	49	1.12	1.45					
335/65R22.5	48	62	1.42	1.83					
385/65R22.5	60	77	1.77	2.28					
425/65R22.5	68	87	2.01	2.57					
445/65R22.5	73	93	2.16	2.75					
265/60-22.5	34	43	1.01	1.27					
285/60-22.5	37	48	1.09	1.42					
295/60R22.5	39	50	1.15	1.48					
315/60R22.5	43	55	1.27	1.63					
385/55R22.5	55	70	1.63	2.07					
455/55R22.5	69	89	2.04	2.63					
435/50R22.5	63	80	1.86	2.37					
445/50-22.5	65	83	1.92	2.45					
500/50-22.5	123	157	3.64	4.64					
600/40-22.5	90	115	2.66	3.40					
700/40-22.5	113	145	3.34	4.29					
8R22.5	27	35	0.80	1.04					
9R22.5	32	41	0.95	1.21					
10R22.5	37	47	1.09	1.39					
11R22.5	42	54	1.24	1.60					
12R22.5	46	60	1.36	1.77					

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor-	Ex-	Nor-	Ex-		Nor-	Ex-	Nor-	Ex-
	mal	treme	mal	treme		mal	treme	mal	treme
4" Rims					5.70-8NHS	22	26	0.65	0.78
2.80/2.50-4	5	6	0.15	0.18	6.00-8	23	28	0.68	0.82
9/3.50-4	5	6	0.15	0.18	16.50-8	54	65	1.60	1.92
410/3.50-4	9	11	0.27	0.32	18.50-8	68	82	2.01	2.41
2.80-4NHS	5	6	0.15	0.18	15x 4 1/2 R 8	15	18	0.44	0.53
4.10-4NHS	9	11	0.27	0.32	15x6-8	18	22	0.53	0.64
11x4.00-4NHS	9	11	0.27	0.32	16x5.50-8NHS	19	23	0.56	0.67
5" Rims					16x 6 R 8	20	24	0.59	0.71
3.40/3.00-5	9	11	0.27	0.32	16x6.5-8NHS	21	25	0.62	0.75
4.10/3.50-5	10	12	0.30	0.35	16x7.50-8NHS	24	29	0.71	0.85
3.40-5NHS	7	8	0.21	0.25	16.5x6.5-8	21	25	0.62	0.75
3.50-5	9	11	0.27	0.32	17x8-8	28	34	0.83	0.99
4.10-5NHS	9	11	0.27	0.32	18x6.50-8NHS	23	28	0.68	0.82
9x3.5-5	6	7	0.18	0.21	18x7-8NHS	25	30	0.74	0.89
11x4.00-5NHS	9	11	0.27	0.32	18x7.50-8NHS	27	32	0.80	0.96
11x6-5	13	16	0.38	0.46	18x8.5-8NHS	30	36	0.89	1.06
13x5-5	13	16	0.38	0.46	18x9-8NHS	34	41	1.01	1.21
6" Rims					18x9.5-8NHS	34	41	1.01	1.21
3.50-6	11	13	0.33	0.39	18.5x8.5-8	31	37	0.92	1.10
4.10/3.50-6	12	14	0.35	0.43	18.5x9.5-8	34	41	1.01	1.21
5.30/4.50-6	16	19	0.47	0.57	19x9.50-8NHS	36	43	1.06	1.28
145/70-6	16	19	0.47	0.57	19x10-8	39	47	1.15	1.38
4.00-6	13	16	0.38	0.46	20x7-8	28	34	0.83	0.99
4.10-6NHS	10	12	0.30	0.35	20x8.00-8NHS	33	40	0.98	1.17
5.30-6NHS	16	19	0.47	0.57	20x9.00-8NHS	36	43	1.06	1.28
8.00-6	28	34	0.83	0.99	20x10.00-8NHS	41	49	1.21	1.46
12x11-6	28	34	0.83	0.99	20.5x7-8	29	35	0.86	1.03
13x5.00-6NHS	12	14	0.35	0.43	20.5x10-8	42	50	1.24	1.49
13x6.00-6NHS	16	19	0.47	0.57	21x11.00-8NHS	46	55	1.36	1.63
13x6.50-6NHS	17	20	0.50	0.60	21x12-8	51	61	1.51	1.81
14x4.50-6NHS	13	16	0.38	0.46	22x9-8	40	48	1.18	1.42
14x8-6NHS	22	26	0.65	0.78	22x11.00-8NHS	49	59	1.45	1.74
15x6.00-6NHS	18	22	0.53	0.64	22.5x10-8	42	50	1.24	1.49
15x6.5-6	19	23	0.56	0.67	9" Rims				
16x4.5-6	14	17	0.41	0.50	4.80/4.00-9	17	20	0.50	0.60
7" Rims					4.00-9SL	16	19	0.47	0.57
450-7	15	18	0.44	0.53	5.00-9	21	25	0.62	0.75
480-7	12	14	0.35	0.43	6.00-9NHS	27	32	0.80	0.96
4.80/4.00-7	14	17	0.41	0.50	6.90-9	30	36	0.89	1.06
4.00-7	14	17	0.41	0.50	6.00/6.90-9	29	35	0.86	1.03
16x6.5-7	22	26	0.65	0.78	6.90/6.00-9NHS	30	36	0.89	1.06
8" Rims					21x8-9NHS	34	41	1.01	1.21
4.80/4.00-8	15	18	0.44	0.53	21x9-9NHS	39	47	1.15	1.38
5.70/5.00-8	22	26	0.65	0.78	22x12-9	54	65	1.60	1.92
4.00-8NHS	14	17	0.41	0.50	25x11-9	56	67	1.66	1.99
4.30-8	13	16	0.38	0.46	25x12-9	61	73	1.80	2.16
4.80-8	16	19	0.47	0.57	25x13-9	66	79	1.95	2.34
5.00-8NHS	19	23	0.56	0.67					
5.00-8	19	23	0.56	0.67					

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
10" Rims					7-12	37	44	1.09	1.31
205/50-10	30	36	0.89	1.06	7.00-12NHS	41	49	1.21	1.46
3.00-10	14	17	0.41	0.50	8.25-12	51	61	1.51	1.81
3.50-10	17	20	0.50	0.60	22x7.5-12	33	40	0.98	1.17
4.00-10	17	20	0.50	0.60	23x8.50-12NHS	39	47	1.15	1.38
4.50-10	21	25	0.62	0.75	23x9-12	42	50	1.24	1.49
5.00-10	23	28	0.68	0.82	23x9.50-12NHS	43	52	1.27	1.53
6.00-10	27	32	0.80	0.96	23x10-12NHS	48	58	1.42	1.70
6.50-10(NHS)	33	40	0.98	1.17	23x10.50-12(SS, NHS)	48	58	1.42	1.70
7.50-10SL	40	48	1.18	1.42	23.5x8.5-12	40	48	1.18	1.42
7.50-10(NHS)	41	49	1.21	1.46	23.5x11-12NHS	52	62	1.54	1.85
9.00-10SL	51	61	1.51	1.81	24x12-12NHS	58	70	1.72	2.06
9.00-10NHS	52	62	1.54	1.85	24x13-12	61	73	1.80	2.16
15.00-10	81	97	2.40	2.87	25x8.00-12NHS	41	49	1.21	1.46
16x8.5-10	28	34	0.83	0.99	25x9.00-12NHS	45	54	1.33	1.60
18x8.5-10	31	37	0.92	1.10	25x10.00-12NHS	51	61	1.51	1.81
18x10.5-10	37	44	1.09	1.31	25x11.00-12NHS	56	67	1.66	1.99
19x8-10	31	37	0.92	1.10	26x8-12	42	50	1.24	1.49
20x7.5-10	30	36	0.89	1.06	26x9.00-12NHS	47	56	1.39	1.67
20x8.00-10NHS	30	36	0.89	1.06	26x10-12	53	64	1.57	1.88
20x10.00-10NHS	41	49	1.21	1.46	26x11.00-12NHS	58	70	1.72	2.06
20.50-10	85	102	2.51	3.02	26x12.00-12(SS, NHS)	63	76	1.86	2.24
20.5x8.0-10	33	40	0.98	1.17	26x14-12	74	89	2.19	2.63
21x7.00-10NHS	30	36	0.89	1.06	26.5x14-12	76	91	2.25	2.70
21x8-10NHS	34	41	1.01	1.21	27x9.00-12NHS	49	59	1.45	1.74
22x10-10	45	54	1.33	1.60	27x10-12NHS	55	66	1.63	1.95
22x11-10	49	59	1.45	1.74	27x12.00-12NHS	66	79	1.95	2.34
23x8-10NHS	37	44	1.09	1.31	31x13-12	82	98	2.43	2.91
23x9-10NHS	42	50	1.24	1.49	40x50-12	406	487	12.01	14.41
23x10-10	47	56	1.39	1.67	13" Rims				
27x9-10NHS	51	61	1.51	1.81	ST155/80(R, D)13	29	35	0.86	1.03
27x15-10NHS	82	98	2.43	2.91	ST165/80(R, D)13	31	37	0.92	1.10
11" Rims					ST175/80(R, D)13	34	41	1.01	1.21
23x8-11	37	44	1.09	1.31	ST185/80(R, D)13	36	43	1.06	1.28
24x9-11	43	52	1.27	1.53	6.00-13NHS	32	38	0.95	1.14
24x10-11	49	59	1.45	1.74	6.50-13ST	33	40	0.98	1.17
25x9.00-11NHS	45	54	1.33	1.60	A78-13ST	31	37	0.92	1.10
25x10.00-11NHS	51	61	1.51	1.81	B78-13ST	34	41	1.01	1.21
12" Rims					C78-13ST	36	43	1.06	1.28
10.00/70-12	53	64	1.57	1.88	Y78-13	30	36	0.89	1.06
4.80/4.00-12	20	24	0.59	0.71	14" Rims				
3.00-12	13	16	0.38	0.46	ST195/75(R, D)14	40	48	1.18	1.42
4.00-12SL	19	23	0.56	0.67	ST205/75(R, D)14	42	50	1.24	1.49
4.50-12	21	25	0.62	0.75	ST215/75(R, D)14	46	55	1.36	1.63
4.80-12(NHS)	20	24	0.59	0.71	ST235/60-14	48	58	1.42	1.70
5-12	21	25	0.62	0.75	4.50-14	25	30	0.74	0.89
5.30-12(NHS)	23	28	0.68	0.82	5.00-14	24	29	0.71	0.85
5.70-12NHS	26	31	0.77	0.92	6-14	31	37	0.92	1.10
6-12	28	34	0.83	0.99	6.00-14SL	37	44	1.09	1.31

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
7-14	40	48	1.18	1.42	7.50 R 15	52	62	1.54	1.85
7.50-14SL	42	50	1.24	1.49	7.50-15NHS	55	66	1.63	1.95
8.5L-14SL	49	59	1.45	1.74	7.60-15SL	45	54	1.33	1.60
9.5L-14SL	56	67	1.66	1.99	7.75-15ST	39	47	1.15	1.38
11L-14SL	66	79	1.95	2.34	8.25 R 15	62	74	1.83	2.20
E78-14ST	41	49	1.21	1.46	8.25-15SS	62	74	1.83	2.20
F78-14ST	42	50	1.24	1.49	8.25-15NHS	63	76	1.86	2.24
G78-14ST	46	55	1.36	1.63	8.55-15ST	49	59	1.45	1.74
H78-14ST	49	59	1.45	1.74	9.00-15	62	74	1.83	2.20
F70-14ST	44	53	1.30	1.56	9.00-15NHS	74	89	2.19	2.63
H70-14ST	51	61	1.51	1.81	9.50-15FI	49	59	1.45	1.74
23x8.50-14SS	40	48	1.18	1.42	9.5L-15SL	58	70	1.72	2.06
25x8.50-14(SS, NHS)	44	53	1.30	1.56	10.00-15(SL, FI)	74	89	2.19	2.63
26x9.00-14NHS	47	56	1.39	1.67	10.00L-15NHS	80	96	2.37	2.84
26x10-14	53	64	1.57	1.88	10.00-15NHS	83	100	2.45	2.95
26x11.00-14NHS	57	68	1.69	2.02	11L-15FI	68	82	2.01	2.41
26x12-14	63	76	1.86	2.24	11L-15SL	71	85	2.10	2.52
27x9.00-14NHS	49	59	1.45	1.74	11.00-15NHS	90	108	2.66	3.19
27x11.00-14NHS	61	73	1.80	2.16	12.5L-15FI	82	98	2.43	2.91
14.5" Rims					13.50-15(FI, SL)	86	103	2.54	3.05
7.00-14.5MH	39	47	1.15	1.38	14.50L-15NHS	104	125	3.08	3.69
8.00-14.5MH	45	54	1.33	1.60	E78-15ST	40	48	1.18	1.42
9.00-14.5MH	54	65	1.60	1.92	F78-15ST	43	52	1.27	1.53
15" Rims					G78-15ST	45	54	1.33	1.60
8.5/90-15K	54	65	1.60	1.92	H78-15ST	49	59	1.45	1.74
212/80-15	49	59	1.45	1.74	25x7.50-15NHS	38	46	1.12	1.35
ST205/75(R, D)15	44	53	1.30	1.56	25x12.50-15NHS	62	74	1.83	2.20
225/75-15	48	58	1.42	1.70	26x10.00-15NHS	53	64	1.57	1.88
ST225/75-15	50	60	1.48	1.77	27x8.50-15NHS	46	55	1.36	1.63
(ST)235/75-15	54	65	1.60	1.92	27x9.50-15NHS	49	59	1.45	1.74
315/70R15NHS	80	96	2.37	2.84	27x10.00-15NHS	55	66	1.63	1.95
355/65-15	95	114	2.81	3.37	27x10.50-15NHS	56	67	1.66	1.99
9.50/65-15	50	60	1.48	1.77	28x8-15	45	54	1.33	1.60
12.00/65-15	76	91	2.25	2.70	28x9-15NHS	49	59	1.45	1.74
14.00/65-15	94	113	2.78	3.34	28x12-15NHS	68	82	2.01	2.41
ST235/60-15	50	60	1.48	1.77	28x13-15NHS	74	89	2.19	2.63
250-15NHS	58	70	1.72	2.06	29x8-15NHS	46	55	1.36	1.63
300-15NHS	79	95	2.34	2.80	29x10-15	60	72	1.77	2.13
4.00-15SL	22	26	0.65	0.78	29x12.50-15NHS	72	86	2.13	2.56
5.00-15SL	27	32	0.80	0.96	29x14-15	82	98	2.43	2.91
5.50-15	33	40	0.98	1.17	30x8-15NHS	49	59	1.45	1.74
5.70-15NHS	30	36	0.89	1.06	31x10.5-15	65	78	1.92	2.31
5.90-15SL	32	38	0.95	1.14	31x12.50-15NHS	77	92	2.28	2.73
6.00-15	36	43	1.06	1.28	31x13.50-15NHS	86	103	2.54	3.05
6.40-15SL	35	42	1.04	1.24	31x15.50-15NHS	98	118	2.90	3.48
6.70-15SL	38	46	1.12	1.35	32x12-15NHS	79	95	2.34	2.80
7.00L-15NHS	46	55	1.36	1.63	32x14.5-15	90	108	2.66	3.19
7.00-15SS	48	58	1.42	1.70	32x15-15NHS	94	113	2.78	3.34
7.5L-15SL	49	59	1.45	1.74	33x12.50-15NHS	82	98	2.43	2.91

Main Chart
(Industrial, Mining/Logging,
Agricultural, etc.)

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
35x15-15NHS	104	125	3.08	3.69	14L-16.1SL	110	132	3.25	3.90
36x11-15NHS	80	96	2.37	2.84	16.5L-16.1FI	135	162	3.99	4.79
36x13.50-15NHS	100	120	2.96	3.55	16.5L-16.1SL	141	169	4.17	5.00
38x16-15	123	148	3.64	4.37	18L-16.1SL	120	144	3.55	4.26
57x8.5-15	98	118	2.90	3.48	18.4-16.1	167	200	4.94	5.93
15.3" Rims					19L-16.1(SL, FI)	165	198	4.88	5.86
12.5/80-15.3	90	108	2.66	3.19	21.5L-16.1(SL, FI)	194	233	5.74	6.88
15.5" Rims					35x19-16.1	126	151	3.73	4.47
400/40-15.5	90	108	2.66	3.19	38x19-16.1	147	176	4.35	5.22
16" Rims					38x20.00-16.1	152	182	4.50	5.39
ST235/85-16	60	72	1.77	2.13	16.5" Rims				
ST215/80(R, D)16	51	61	1.51	1.81	10-16.5NHS	64	77	1.89	2.27
ST235/80(R, D)16	58	70	1.72	2.06	12-16.5NHS	80	96	2.37	2.84
10.5/80-16	67	80	1.98	2.38	12.50-16.5	86	103	2.54	3.05
ST245/75-16	60	72	1.77	2.13	30.5x12.5-16.5	74	89	2.19	2.63
12.50/70-16	84	101	2.48	2.98	31x11.5-16.5	72	86	2.13	2.56
ST235/60-16	52	62	1.54	1.85	31x12.5-16.5	80	96	2.37	2.84
ST285/60-16	69	83	2.04	2.45	33x14.5-16.5	97	116	2.87	3.44
4.00-16	22	26	0.65	0.78	33x15.5-16.5	104	125	3.08	3.69
4.5-16	37	44	1.09	1.31	35x14.5-16.5	103	124	3.05	3.66
5.50-16SL	34	41	1.01	1.21	37x12.5-16.5	84	101	2.48	2.98
6-16	33	40	0.98	1.17	17" Rims				
6.00-16SL	37	44	1.09	1.31	ST255/75(R, D)17	50	60	1.48	1.77
6.50-16SL	41	49	1.21	1.46	265/658-17	67	80	1.98	2.38
6.50-16NHS	42	50	1.24	1.49	7.00-17	53	64	1.57	1.88
7-16	43	52	1.27	1.53	7.50-17	58	70	1.72	2.06
7.20-16	44	53	1.30	1.56	8.25-17	67	80	1.98	2.38
7.50-16SL	52	62	1.54	1.85	17.5" Rims				
7.50-16NHS	56	67	1.66	1.99	8R17.5HC	52	62	1.54	1.85
8-16	52	62	1.54	1.85	9R17.5HC	61	73	1.80	2.16
8.00-16SL	54	65	1.60	1.92	10R17.5HC	71	85	2.10	2.52
8.3-16	52	62	1.54	1.85	11R17.5HC	81	97	2.40	2.87
9.00-16SL	62	74	1.83	2.20	14-17.5NHS	101	121	2.99	3.58
9.5-16	64	77	1.89	2.27	36x16-17.5NHS	117	140	3.46	4.15
10.00-16SL	77	92	2.28	2.73	18" Rims				
11L-16SL	74	89	2.19	2.63	275/80-18	78	94	2.31	2.77
11.0-16	90	108	2.66	3.19	280/80-18	95	114	2.81	3.37
11.00-16SL	96	115	2.84	3.41	320/80R18	115	138	3.40	4.08
11.20-16	99	119	2.93	3.51	340/80-18	128	154	3.79	4.54
12.00-16	101	121	2.99	3.58	10.50/80-18	78	94	2.31	2.77
12.4-16	95	114	2.81	3.37	12.50/80-18	97	116	2.87	3.44
12.5L-16(SL, FI)	85	102	2.51	3.02	12.00/75-18	91	109	2.69	3.23
13.6-16	109	131	3.22	3.87	400/70-18	153	184	4.52	5.43
15.00-16	132	158	3.90	4.68	405/70-18	130	156	3.84	4.61
16.1" Rims					15.50/70-18	129	155	3.81	4.58
14.5/75-16.1SL	110	132	3.25	3.90	275/65-18	78	94	2.31	2.77
13.50-16.1SL	113	136	3.34	4.01	12.50/65-18	86	103	2.54	3.05
13.60-16.1	112	134	3.31	3.97	15.5/60-18	119	143	3.52	4.22
14L-16.1FI	105	126	3.11	3.73	12.0/12.5-18	87	104	2.57	3.09

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
4.00-18SL	24	29	0.71	0.85	10.30-20	102	122	3.02	3.62
6.00-18	40	48	1.18	1.42	10.50-20	89	107	2.63	3.16
7.00-18	54	65	1.60	1.92	11.00-20	118	142	3.49	4.19
7.50-18SL	55	66	1.63	1.95	11.00-20SL	125	150	3.70	4.44
8-18	56	67	1.66	1.99	11.10-20	108	130	3.19	3.83
9.50-18	68	82	2.01	2.41	11.20-20	109	131	3.22	3.87
10.00-18	77	92	2.28	2.73	12.00-20	134	161	3.96	4.76
11.00-18	100	120	2.96	3.55	12.5L-20SL	112	134	3.31	3.97
13.00-18	120	144	3.55	4.26	13.00-20TG	145	174	4.29	5.15
48x68-18	663	796	19.61	23.53	13.50-20	135	162	3.99	4.79
19" Rims					14.00-20TG	168	202	4.97	5.96
4.00-19SL	25	30	0.74	0.89	14.00-20	176	211	5.20	6.25
6.00-19	41	49	1.21	1.46	14.50-20	145	174	4.29	5.15
19.5" Rims					18L-20NHS	190	228	5.62	6.74
285/70-19.5	80	96	2.37	2.84	19.50-20	199	239	5.89	7.06
26/70-19.5	295	354	8.72	10.47	38x14.00-20NHS	131	157	3.87	4.65
9.00-19.5	65	78	1.92	2.31	38x18.00-20NHS	168	202	4.97	5.96
15-19.5NHS	125	150	3.70	4.44	38x20-20	187	224	5.53	6.64
18-19.5ML	158	190	4.67	5.61	41x14.00-20NHS	141	169	4.17	5.00
40x19-19.5NHS	154	185	4.55	5.47	42x17-20	172	206	5.09	6.10
20" Rims					42x25.00-20NHS	250	300	7.39	8.87
275/85-20	99	119	2.93	3.51	43x16-20	165	198	4.88	5.86
260/80-20	92	110	2.72	3.26	44x18.00-20NHS	194	233	5.74	6.88
275/80-20	96	115	2.84	3.41	44x41.00-20NHS	421	505	12.45	14.94
280/80-20	100	120	2.96	3.55	47x25-20	282	338	8.34	10.01
315/80-20	118	142	3.49	4.19	48x25.00-20NHS	294	353	8.69	10.43
335/80-20	123	148	3.64	4.37	48x31.00-20NHS	359	431	10.62	12.74
340/80-20	134	161	3.96	4.76	20.5" Rims				
345/80-20	136	163	4.02	4.83	525/65-20.5	187	224	5.53	6.64
11.00/80-20	100	120	2.96	3.55	20.50-20.5	212	254	6.27	7.52
15.5/80-20	168	202	4.97	5.96	24.00-20.5	316	379	9.35	11.21
375/75-20	132	158	3.90	4.68	21" Rims				
380/75R20	152	182	4.50	5.39	130/90-21	38	46	1.12	1.35
420/75R20	177	212	5.23	6.28	12.00-21ML	134	161	3.96	4.76
425/75-20	181	217	5.35	6.42	14.00-21	176	211	5.20	6.25
15.50/70-20	160	192	4.73	5.68	16.00-21	223	268	6.59	7.91
300/70-20	103	124	3.05	3.66	18.00-21	199	239	5.89	7.06
400/70-20	160	192	4.73	5.68	23.00-21	287	344	8.49	10.19
405/70-20	132	158	3.90	4.68	24.00-21	316	379	9.35	11.21
14.00/70-20	129	155	3.81	4.58	27.25-21	384	461	11.36	13.63
17.50/65-20	182	218	5.38	6.46	22" Rims				
7.00-20	67	80	1.98	2.38	7.50-22	75	90	2.22	2.66
7.20-20	60	72	1.77	2.13	8.20-22	74	89	2.19	2.63
7.50-20SL	69	83	2.04	2.45	8.30-22	73	88	2.16	2.59
8.25-20	87	104	2.57	3.09	9.50-22	89	107	2.63	3.16
8.30-20	70	84	2.07	2.48	10.00-22ML	116	139	3.43	4.12
9.00-20	98	118	2.90	3.48	11.00-22ML	126	151	3.73	4.47
9.50-20SL	92	110	2.72	3.26	12.00-22	133	160	3.93	4.72
10.00-20	109	131	3.22	3.87					

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
22.5" Rims					540/65R24	268	322	7.93	9.51
235/70-22.5	78	94	2.31	2.77	7.20-24	64	77	1.89	2.27
275/70-22.5	99	119	2.93	3.51	7.50-24SL	82	98	2.43	2.91
295/70-22.5	109	131	3.22	3.87	8.3-24	78	94	2.31	2.77
365/70-22.5	146	175	4.32	5.18	9.00-24SL	111	133	3.28	3.94
11.00/70-22.5	100	120	2.96	3.55	9.5-24	94	113	2.78	3.34
265/60-22.5	87	104	2.57	3.09	10.00-24	121	145	3.58	4.29
500/60-22.5	218	262	6.45	7.74	11.00-24ML	132	158	3.90	4.68
285/60-22.5	97	116	2.87	3.44	11.00-24SL	137	164	4.05	4.86
710/45-22.5	319	383	9.43	11.32	11.2-24	117	140	3.46	4.15
600/40-22.5	234	281	6.92	8.30	11.25-24SL	142	170	4.20	5.04
620/40-22.5	246	295	7.28	8.73	12.00-24TG	142	170	4.20	5.04
700/40-22.5	294	353	8.69	10.43	12.00-24	146	175	4.32	5.18
9-22.5	84	101	2.48	2.98	12.4-24	136	163	4.02	4.83
10-22.5	98	118	2.90	3.48	13.00-24TG	158	190	4.67	5.61
11-22.5	111	133	3.28	3.94	13.00-24NHS	166	199	4.91	5.89
12-22.5	123	148	3.64	4.37	13.00-24	170	204	5.03	6.03
13-22.5	137	164	4.05	4.86	13.6-24	155	186	4.58	5.50
15-22.5ML	158	190	4.67	5.61	13.9-24	159	191	4.70	5.64
16.5-22.5ML	181	217	5.35	6.42	14.00-24TG	181	217	5.35	6.42
18-22.5ML	199	239	5.89	7.06	14.00-24	191	229	5.65	6.78
23.5" Rims					14.9-24	178	214	5.26	6.32
23.00-23.5	287	344	8.49	10.19	15.00-24	193	232	5.71	6.85
24" Rims					16.00-24(TG)	232	278	6.86	8.23
280/85-24	113	136	3.34	4.01	16.9-24	213	256	6.30	7.56
320/85R24	137	164	4.05	4.86	17.5L-24	209	251	6.18	7.42
340/85R24	151	181	4.47	5.36	17.80-24	225	270	6.65	7.98
380/85R24	177	212	5.23	6.28	18.00-24	307	368	9.08	10.89
16.5/85-24	207	248	6.12	7.35	18.30-24	287	344	8.49	10.19
400/80R24	188	226	5.56	6.67	18.4-24	243	292	7.19	8.62
440/80-R24	215	258	6.36	7.63	19.5L-24	247	296	7.30	8.77
15.5/80-24	181	217	5.35	6.42	20.00-24	280	336	8.28	9.94
320/75R24	130	156	3.84	4.61	21L-24	278	334	8.22	9.87
320/70R24	130	156	3.84	4.61	48x20.00-24NHS	212	254	6.27	7.52
360/70R24	153	184	4.52	5.43	24.5" Rims				
380/70R24	168	202	4.97	5.96	305/75-24.5	122	146	3.61	4.33
400/70R24	176	211	5.20	6.25	11.00-24.5ML	117	140	3.46	4.15
405/70-24	177	212	5.23	6.28	25" Rims				
420/70R24	187	224	5.53	6.64	385/95R25	195	234	5.77	6.92
440/70R24	201	241	5.94	7.13	445/95R25	242	290	7.16	8.59
445/70-24	204	245	6.03	7.24	505/95-25	294	353	8.69	10.43
460/70R24	212	254	6.27	7.52	23/90-25	358	430	10.59	12.70
480/70R24	234	281	6.92	8.30	445/80R25	222	266	6.57	7.88
495/70-24	240	288	7.10	8.52	525/80R25	291	349	8.61	10.33
500/70R24	245	294	7.25	8.69	605/80R25	366	439	10.82	12.99
540/70R24	279	335	8.25	9.90	685/80-25	536	643	15.85	19.02
16/70-24	193	232	5.71	6.85	25/65R25	351	421	10.38	12.46
440/65R24	194	233	5.74	6.88	30/65R25	469	563	13.87	16.64
480/65R24	220	264	6.51	7.81	550/65R25	275	330	8.13	9.76

Main Chart
(Industrial, Mining/Logging, Agricultural, etc.)

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
555/65R25	281	337	8.31	9.97	14.9-26	185	222	5.47	6.57
560/65-25	281	337	8.31	9.97	16.9-26	221	265	6.54	7.84
600/65R25	319	383	9.43	11.32	18.00-26TG	324	389	9.58	11.50
650/65R25	355	426	10.50	12.60	18.4-26	256	307	7.57	9.08
750/65R25	451	541	13.34	16.01	23.1-26	356	427	10.53	12.63
850/65R25	551	661	16.30	19.55	24.00-26	334	401	9.88	11.85
22/65R25	281	337	8.31	9.97	28LR26	429	515	12.69	15.22
25/65R25	351	421	10.38	12.46	28L-26	437	524	12.92	15.51
30/65R25	469	563	13.87	16.64	54x31.00-26NHS	402	482	11.89	14.27
650/55R25	320	384	9.46	11.36	57X31.00-26NHS	424	509	12.54	15.05
25/55R25	385	462	11.39	13.66	66x43.00-26NHS	667	800	19.73	23.67
1000/50R25	599	719	17.71	21.26	67x34.00-26NHS	555	666	16.41	19.70
66/43.00-25	681	817	20.14	24.17	<u>26.5" Rims</u>				
67/34.00-25	546	655	16.15	19.38	600/55 26.5	297	356	8.78	10.54
11.00-25ML	134	161	3.96	4.76	<u>28" Rims</u>				
12.00-25ML	146	175	4.32	5.18	380/85R28	192	230	5.68	6.81
13.00-25	169	203	5.00	6.00	420/85R28	222	266	6.57	7.88
14.00-25	190	228	5.62	6.74	440/80R28	232	278	6.86	8.23
15.5-25	187	224	5.53	6.64	360/70R28	166	199	4.91	5.89
16.00-25	240	288	7.10	8.52	380/70R28	176	211	5.20	6.25
17.5-25	223	268	6.59	7.91	420/70R28	202	242	5.97	7.17
18.00-25	299	359	8.84	10.61	480/70R28	247	296	7.30	8.77
20.5-25	289	347	8.55	10.26	500/70R28	264	317	7.81	9.37
21.00-25	372	446	11.00	13.20	600/70R28	341	409	10.08	12.10
22-25	281	337	8.31	9.97	440/65R28	210	252	6.21	7.45
23.5-25	359	431	10.62	12.74	480/65R28	238	286	7.04	8.45
24.00-25	455	546	13.46	16.15	540/65R28	289	347	8.55	10.26
26.00-25	426	511	12.60	15.12	600/65R28	328	394	9.70	11.64
26.5-25	438	526	12.95	15.54	480/60R28	234	281	6.92	8.30
29.5-25	522	626	15.44	18.52	520/60R28	256	307	7.57	9.08
61x18-25	287	344	8.49	10.19	600/60R28	318	382	9.40	11.29
54X37.00-25NHS	488	586	14.43	17.32	11.2-28	127	152	3.76	4.51
66x43.00-25NHS	667	800	19.73	23.67	11.25-28SL	154	185	4.55	5.47
66x44.00-25NHS	707	848	20.91	25.09	11.90-28	134	161	3.96	4.76
67x34.00-25NHS	555	666	16.41	19.70	12.4-28	148	178	4.38	5.25
<u>26" Rims</u>					13.6-28	168	202	4.97	5.96
420/85-26	214	257	6.33	7.59	14.9-28	192	230	5.68	6.81
480/80R26	254	305	7.51	9.01	16.9-28	229	275	6.77	8.13
520/75-26	278	334	8.22	9.87	18.4-28	261	313	7.72	9.26
620/75R26	369	443	10.91	13.10	21.00-28	292	350	8.64	10.36
650/75-26	389	467	11.50	13.80	21L-28	298	358	8.81	10.58
750/65-26	465	558	13.75	16.50	<u>29" Rims</u>				
750/55R26	411	493	12.15	14.59	775/65R29	500	600	14.79	17.74
8.30-26	82	98	2.43	2.91	800/65R29	527	632	15.59	18.70
9.50-26	99	119	2.93	3.51	875/65R29	613	736	18.13	21.75
11.20-26	122	146	3.61	4.33	30/65-29	498	598	14.73	17.67
12.40-26	142	170	4.20	5.04	17.50-29	235	282	6.95	8.34
13.6-26	161	193	4.76	5.71					

Main Chart

(Industrial, Mining/Logging, Agricultural, etc.)

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
24.00-29	479	575	14.17	17.00	35/65-33	671	805	19.84	23.81
26.5-29	463	556	13.69	16.43	65/35-33	687	824	20.32	24.38
29.5-29	550	660	16.27	19.52	18.00-33	337	404	9.97	11.96
33.25-29	656	787	19.40	23.28	21.00-33	415	498	12.27	14.73
<u>30" Rims</u>					27.00-33	635	762	18.78	22.54
420/90R30	237	284	7.01	8.41	30.00-33	759	911	22.45	26.94
380/85R30	199	239	5.89	7.06	33.5-33	709	851	20.97	25.16
420/80R30	223	268	6.59	7.91	37.5-33	846	1015	25.02	30.02
620/75R30	387	464	11.44	13.73	<u>34" Rims</u>				
650/75R30	424	509	12.54	15.05	250/95R34	125	150	3.70	4.44
480/70R30	256	307	7.57	9.08	290/95R34	153	184	4.52	5.43
600/70R30	353	424	10.44	12.53	320/85R34	167	200	4.94	5.93
540/65R30	300	360	8.87	10.65	380/85-34	214	257	6.33	7.59
600/60R30	329	395	9.73	11.68	385/85R34	218	262	6.45	7.74
6.00-30	61	73	1.80	2.16	420/85R34	246	295	7.28	8.73
7.20-30	73	88	2.16	2.59	480/85R34	300	360	8.87	10.65
12.40-30	153	184	4.52	5.43	650/75R34	441	529	13.04	15.65
14.9-30	200	240	5.91	7.10	710/75R34	514	617	15.20	18.24
16.9-30	241	289	7.13	8.55	480/70R34	274	329	8.10	9.72
18.4-30	274	329	8.10	9.72	520/70R34	305	366	9.02	10.82
23.1-30	372	446	11.00	13.20	540/65R34	321	385	9.49	11.39
67x34.00-30NHS	555	666	16.41	19.70	600/65R34	361	433	10.68	12.81
<u>32" Rims</u>					11.2-34	143	172	4.23	5.07
210/95R32.	96	115	2.84	3.41	14.9R34	214	257	6.33	7.59
230/95R32	106	127	3.13	3.76	16.9-34	253	304	7.48	8.98
270/95R32	136	163	4.02	4.83	18.4-34	292	350	8.64	10.36
500/95-32	340	408	10.06	12.07	20.8-34	340	408	10.06	12.07
650/75R32	429	515	12.69	15.22	23.1-34	395	474	11.68	14.02
800/75R32	597	716	17.66	21.19	<u>35" Rims</u>				
800/65R32	550	660	16.27	19.52	21.00-35	426	511	12.60	15.12
900/65R32	653	784	19.31	23.17	24.00-35	516	619	15.26	18.31
900/60R32	623	748	18.42	22.11	29.5-35	593	712	17.54	21.04
900/55R32	594	713	17.57	21.08	33.25-35	704	845	20.82	24.98
1050/50R32	726	871	21.47	25.76	37.25-35	840	1008	24.84	29.81
9.5-32	112	134	3.31	3.97	<u>36" Rims</u>				
12.4-32	159	191	4.70	5.64	210/95R36	105	126	3.11	3.73
16.90-32	236	283	6.98	8.38	230/95-36	116	139	3.43	4.12
24.5-32	424	509	12.54	15.05	270/95-36	143	172	4.23	5.07
30.5L-32	532	638	15.73	18.88	9.5-36	121	145	3.58	4.29
33.50-32	590	708	17.45	20.94	11.2-36	149	179	4.41	5.29
35.5-32	664	797	19.64	23.56	12.4-36	171	205	5.06	6.07
68x50.00-32NHS	828	994	24.49	29.38	13.6-36	193	232	5.71	6.85
73x44.00-32	781	937	23.10	27.72	13.90-36	195	234	5.77	6.92
73x50.00-32	888	1066	26.26	31.51	14.90-36	222	266	6.57	7.88
74x44-32	786	943	23.24	27.89	16.90-36	241	289	7.13	8.55
76X50.00-32NHS	923	1108	27.30	32.76	<u>38" Rims</u>				
<u>33" Rims</u>					270/958R38	151	181	4.47	5.36
21/90R33	356	427	10.53	12.63	290/90R38	160	192	4.73	5.68
875/65R33	646	775	19.10	22.93	320/85R38	180	216	5.32	6.39

1 oz. = 1 unit on pump

	Ozs.		Liters			Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme		Nor- mal	Ex- treme	Nor- mal	Ex- treme
520/85R38	355	426	10.50	12.60	650/65R42	459	551	13.57	16.29
650/85R38	496	595	14.67	17.60	900/50R42	648	778	19.16	23.00
710/85R38	567	680	16.77	20.12	9.5-42	134	161	3.96	4.76
380/80R38	223	268	6.59	7.91	12.4-42	189	227	5.59	6.71
480/80R38	309	371	9.14	10.97	18.4-42	323	388	9.55	11.46
850/80R38	736	883	21.77	26.12	20.8-42	380	456	11.24	13.49
650/75R38	465	558	13.75	16.50	<u>43" Rims</u>				
480/70R38	299	359	8.84	10.61	24.00-43	579	695	17.12	20.55
520/70R38	325	390	9.61	11.53	<u>44" Rims</u>				
580/70R38	381	457	11.27	13.52	210/95-44	118	142	3.49	4.19
710/70R38	522	626	15.44	18.52	230/95-44	133	160	3.93	4.72
800/70R38	618	742	18.28	21.93	270/95R44	167	200	4.94	5.93
540/65R38	341	409	10.08	12.10	<u>45" Rims</u>				
600/65R38	383	460	11.33	13.59	1150/65R45	1126	1351	33.30	39.96
650/65R38	434	521	12.83	15.40	45/65-45	1137	1364	33.63	40.35
600/60R38	374	449	11.06	13.27	65/45-45	1117	1340	33.03	39.64
650/60R38	422	506	12.48	14.98	<u>46" Rims</u>				
710/60R38	478	574	14.14	16.96	270/95-46	169	203	5.00	6.00
11.2-38	154	185	4.55	5.47	300/95R46	191	229	5.65	6.78
12.4-38	177	212	5.23	6.28	320/90R46	208	250	6.15	7.38
13.6-38	201	241	5.94	7.13	380/90R46	262	314	7.75	9.30
14.9-38	228	274	6.74	8.09	340/85R46	222	266	6.57	7.88
15.5-38	230	276	6.80	8.16	520/85R46	393	472	11.62	13.95
16.9-38	270	324	7.98	9.58	420/80R46	287	344	8.49	10.19
18.4-38	305	366	9.02	10.82	480/80R46	345	414	10.20	12.24
20.8-38	360	432	10.65	12.78	620/70R46	473	568	13.99	16.79
<u>39" Rims</u>					13.6-46	227	272	6.71	8.06
40.5/75R39	987	1184	29.19	35.03	14.9R46	257	308	7.60	9.12
41.25/70-39	955	1146	28.24	33.89	18.4R46	340	408	10.06	12.07
40/65-39	889	1067	26.29	31.55	<u>48" Rims</u>				
45/65R39	1072	1286	31.70	38.04	230/95R48	141	169	4.17	5.00
65/40-39	923	1108	27.30	32.76	270/95R48	177	212	5.23	6.28
33.5-39	758	910	22.42	26.90	340/85R48	229	275	6.77	8.13
37.5-39	900	1080	26.62	31.94	<u>49" Rims</u>				
38-39	874	1049	25.85	31.02	31/90R49	779	935	23.04	27.65
<u>40" Rims</u>					18.00-49	412	494	12.18	14.62
180/95R40	90	108	2.66	3.19	21.00-49	501	601	14.82	17.78
230/95R40	123	148	3.64	4.37	24.00-49	603	724	17.83	21.40
<u>42" Rims</u>					27.00-49	725	870	21.44	25.73
270/95R42	162	194	4.79	5.75	<u>50" Rims</u>				
290/90R42	171	205	5.06	6.07	380/105R50	292	350	8.64	10.36
320/90R42	196	235	5.80	6.96	250/95R50	163	196	4.82	5.78
520/85R42	372	446	11.00	13.20	320/90R50	220	264	6.51	7.81
480/80R42	327	392	9.67	11.60	380/90R50	277	332	8.19	9.83
850/75R42	742	890	21.94	26.33	480/80R50	364	437	10.76	12.92
580/70R42	403	484	11.92	14.30	<u>51" Rims</u>				
620/70R42	450	540	13.31	15.97	49/75-51	1533	1840	45.34	54.40
710/70R42	549	659	16.24	19.48	50/65-51	1415	1698	41.85	50.22
710/60R42	505	606	14.93	17.92	30.00-51	871	1045	25.76	30.91

Main Chart
 (Industrial, Mining/Logging,
 Agricultural, etc.)

1 oz. = 1 unit on pump

	Ozs.		Liters	
	Nor- mal	Ex- treme	Nor- mal	Ex- treme
33.00-51	996	1195	29.46	35.35
36.00-51	1163	1396	34.39	41.27
37.5-51	1008	1210	29.81	35.77
67-51	2167	2600	64.09	76.90
<u>52" Rims</u>				
300/95R52	207	248	6.12	7.35
<u>53" Rims</u>				
39/90-53	1253	1504	37.06	44.47
<u>54" Rims</u>				
270/95R54	189	227	5.59	6.71
320/90R54	232	278	6.86	8.23
380/90R54	291	349	8.61	10.33
12.4R54	225	270	6.65	7.98
<u>56.5" Rims</u>				
27-56.5	603	724	17.83	21.40
30-56.5	725	870	21.44	25.73
<u>57" Rims</u>				
42/90R57	1336	1603	39.51	47.41
46/90R57	1531	1837	45.28	54.33
50/90R57	1775	2130	52.49	62.99
53.5/85-57	1946	2335	57.55	69.06
50/80-57	1667	2000	49.30	59.16
55/80R57	1902	2282	56.25	67.50
65/65-57	2246	2695	66.42	79.71
37.00-57	1273	1528	37.65	45.18
40.00-57	1438	1726	42.53	51.03
49.5-57	1697	2036	50.19	60.22
<u>59.5" Rims</u>				
33-59.5	855	1026	25.29	30.34
36-59.5	1002	1202	29.63	35.56
39-59.5	1145	1374	33.86	40.63
<u>63" Rims</u>				
53/80-63	1858	2230	54.95	65.94
55/80-63	1991	2389	58.88	70.66
56/80-63	2055	2466	60.77	72.93
59/80-63	2227	2672	65.86	79.03

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
7" Rims			AT22x7-9	15	0.44	AT24x10-11	24	0.71
AT16x8-7	13	0.38	AT22x8-9	18	0.53	AT25x9-11	22	0.65
AT18x7-7	13	0.38	AT22x10-9	22	0.65	AT25x10-11	25	0.74
AT18x8-7	14	0.41	AT22x11-9	24	0.71	12" Rims		
8" Rims			AT23x11-9	25	0.74	205/30-12	14	0.41
215/60-8	15	0.44	AT23x12-9	28	0.83	215/35-12	15	0.44
460/165-8	12	0.35	AT24x11-9	27	0.80	215/40-12	16	0.47
400/140-8	9	0.27	AT24x13-9	31	0.92	215/50-12	17	0.50
AT16x6-8	10	0.30	AT25x11-9	28	0.83	255/50-12	22	0.65
AT16x6.50-8	10	0.30	AT25x12-9	30	0.89	204/90-12	21	0.62
AT16x7.50-8	12	0.35	AT25x13-9	31	0.92	254/70-12	21	0.62
AT18x5.50-8	10	0.30	10" Rims			18x8.5-12	15	0.44
AT18x7-8	13	0.38	205/50-10	15	0.44	22x10-12	22	0.65
AT18x8.5-8	15	0.44	255/50-10	20	0.59	AT23x8-12	18	0.53
AT18x9-8	16	0.47	AT18x9.5-10	17	0.50	AT23x10-12	23	0.68
AT18x9.5-8	17	0.50	AT18x10-10	18	0.53	23x10.5-12	24	0.71
AT18x10-8	18	0.53	AT18x11-10	20	0.59	AT24x8-12	19	0.56
AT18x11-8	20	0.59	AT19x6-10	12	0.35	AT24x9-12	22	0.65
AT19x8-8	15	0.44	AT20x7-10	14	0.41	AT24x11-12	26	0.77
AT19x9-8	17	0.50	AT20x8-10	16	0.47	AT25x8-12	20	0.59
AT20x7-8	14	0.41	AT20x10-10	20	0.59	AT25x10-12	25	0.74
AT20x8-8	15	0.44	AT20x11-10	22	0.65	AT25x11-12	28	0.83
AT20x9-8	18	0.53	AT21x7-10	15	0.44	AT26x8-12	21	0.62
AT20x9.5-8	16	0.47	AT21x10-10	21	0.62	AT26x9-12	23	0.68
AT20x10-8	21	0.62	AT21x12.5-10	25	0.74	AT26x10-12	26	0.77
AT20x11-8	16	0.47	AT22x7-10	15	0.44	AT26x11-12	29	0.86
AT21x7-8	15	0.44	AT22x8-10	18	0.53	AT26x12-12	31	0.92
AT21x9-8	19	0.56	AT22x9-10	20	0.59	AT27x9-12	24	0.71
AT21x11-8	23	0.68	AT22x10-10	22	0.65	27x9.5-12	26	0.77
AT21x12-8	25	0.74	AT22x11-10	24	0.71	AT27x11-12	30	0.89
AT21x12.5-8	28	0.83	AT23x7-10	16	0.47	AT27x12-12	32	0.95
AT22x9-8	20	0.59	AT23x8-10	18	0.53	AT28x9.5-12	27	0.80
AT22x10-8	22	0.65	AT23x10-10	23	0.68	13" Rims		
AT22x11-8	24	0.71	AT23x11-10	25	0.74	205/30-13	14	0.41
AT22x12-8	24	0.71	AT24x11-10	27	0.80	AT25x8-13	20	0.59
AT22.5x10-8	21	0.62	AT24x12-10	27	0.80	14" Rims		
AT23x10-8	23	0.68	AT25x8-10	20	0.59	23x10-14	23	0.68
9" Rims			AT25x11-10	28	0.83	AT26x8-14	21	0.62
AT18x11-9	20	0.59	AT25x12-10	30	0.89	AT26x9-14	23	0.68
AT20x7-9	14	0.41	AT26x12-10	31	0.92	AT26x10-14	26	0.77
AT20x10-9	20	0.59	27x12-10	32	0.95	AT26x11-14	29	0.86
AT20x11-9	22	0.65	11" Rims			AT26x12-14	31	0.92
AT21x7-9	14	0.41	AT22x7-11	15	0.44	27x11-14	30	0.89
AT21x8-9	17	0.50	AT23x8-11	18	0.53			
AT21x11-9	23	0.68	AT24x8-11	19	0.56			
AT21x12.5-9	27	0.80	AT24x9-11	21	0.62			

<u>6" Rims</u>			<u>13" Rims</u>			<u>100/90-16</u>		
Ozs.	Liters		Ozs.	Liters		Ozs.	Liters	
130/90-6	7	0.21	110/90-13	7	0.21	110/90-16	8	0.24
145/70-6	6	0.18	120/70-13	7	0.21	120/90-16	9	0.27
5.4-6	6	0.18	130/70-13	8	0.24	130/90-16	10	0.30
<u>8" Rims</u>			150/70-13	10	0.30	140/90-16	12	0.35
70/100-8	3	0.09	110/60-13	6	0.18	80/80-16	5	0.15
3.00-8	4	0.12	130/60-13	8	0.24	90/80-16	6	0.18
3.50-8	4	0.12	140/60-13	9	0.27	100/80-16	7	0.21
4.00-8	5	0.15	<u>14" Rims</u>			110/80-16	8	0.24
<u>10" Rims</u>			90/100-14	7	0.21	120/80-16	9	0.27
80/100-10	4	0.12	80/90-14	4	0.12	130/80-16	10	0.30
90/100-10	5	0.15	90/90-14	6	0.18	140/80-16	11	0.33
80/90-10	4	0.12	120/80-14	8	0.24	150/80-16	12	0.35
90/90-10	5	0.15	180/80-14	15	0.44	160/80-16	13	0.38
100/90-10	5	0.15	120/70-14	8	0.24	170/80-16	14	0.41
110/90-10	6	0.18	140/70-14	10	0.30	180/80-16	15	0.44
120/90-10	7	0.21	150/70-14	11	0.33	190/80-16	17	0.50
130/90-10	8	0.24	100/65-14	6	0.18	110/70-16	8	0.24
90/80-10	4	0.12	160/60-14	11	0.33	120/70-16	8	0.24
100/80-10	5	0.15	140/40-14	8	0.24	130/70-16	9	0.27
110/80-10	6	0.18	2.25-14	4	0.12	140/70-16	10	0.30
120/80-10	7	0.21	2.50-14	4	0.12	180/70-16	15	0.44
120/70-10	6	0.18	2.75-14	5	0.15	180/65-16	14	0.41
130/70-10	7	0.21	3.00-14	5	0.15	180/60-16	14	0.41
2.50-10	3	0.09	3.60-14	5	0.15	200/60-16	16	0.47
2.75-10	4	0.12	5.4-14	10	0.30	240/50-16	19	0.56
3.00-10	4	0.12	<u>15" Rims</u>			2.00-16	3	0.09
3.50-10	5	0.15	130/90-15	10	0.30	2.25-16	4	0.12
4.00-10	6	0.18	140/90-15	11	0.33	2.50-16	4	0.12
5.4-10	8	0.24	150/90-15	12	0.35	2.75-16	5	0.15
6.7-10	11	0.33	140/80-15	11	0.33	3.00-16	6	0.18
<u>11" Rims</u>			150/80-15	12	0.35	3.50-16	7	0.21
120/70-11	7	0.21	160/80-15	13	0.38	4.60-16	8	0.24
<u>12" Rims</u>			170/80-15	14	0.41	T90-16	10	0.30
80/100-12	7	0.21	190/80-15	16	0.47	U90-16	12	0.35
110/100-12	7	0.21	120/70-15	8	0.24	R85-16	9	0.27
90/90-12	5	0.15	140/70-15	10	0.30	U85-16	12	0.35
100/90-12	6	0.18	230/60-15	19	0.56	<u>17" Rims</u>		
110/90-12	7	0.21	2.50-15	4	0.12	70/100-17	5	0.15
120/80-12	7	0.21	2.75-15	5	0.15	100/100-17	9	0.27
110/70-12	6	0.18	U90-15	11	0.33	110/100-17	10	0.30
120/70-12	7	0.21	V90-15	12	0.35	80/90-17	6	0.18
130/70-12	8	0.24	V85-15	13	0.38	90/90-17	7	0.21
140/70-12	9	0.27	<u>16" Rims</u>			100/90-17	8	0.24
2.75-12	4	0.12	80/100-16	6	0.18	110/90-17	9	0.27
3.00-12	5	0.15	90/100-16	8	0.24	120/90-17	10	0.30
4.00-12	7	0.21	80/90-16	5	0.15	130/90-17	11	0.33
4.50-12	9	0.27	90/90-16	6	0.18	90/80-17	6	0.18
6.7-12	12	0.35						

	Ozs.	Liters		Ozs.	Liters		Ozs.	Liters
100/80-17	7	0.21	120/100-18	11	0.33	R90-18	10	0.30
110/80-17	8	0.24	90/90-18	7	0.21	P85-18	9	0.27
120/80-17	9	0.27	100/90-18	8	0.24	S85-18	10	0.30
130/80-17	10	0.30	110/90-18	9	0.27	T85-18	11	0.33
140/80-17	12	0.35	120/90-18	10	0.30	T80-18	11	0.33
150/80-17	13	0.38	130/90-18	11	0.33	<u>19" Rims</u>		
140/75-17	11	0.33	4.25/85-18	9	0.27	70/100-19	6	0.18
100/70-17	7	0.21	100/80-18	8	0.24	90/100-19	7	0.21
110/70-17	8	0.24	110/80-18	9	0.27	100/100-19	10	0.30
120/70-17	9	0.27	120/80-18	10	0.30	110/100-19	11	0.33
130/70-17	10	0.30	130/80-18	11	0.33	70/90-19	5	0.15
140/70-17	11	0.33	140/80-18	13	0.38	90/90-19	7	0.21
150/70-17	12	0.35	150/80-18	13	0.38	100/90-19	8	0.24
160/70-17	13	0.38	120/70-18	9	0.27	110/90-19	9	0.27
120/65-17	9	0.27	130/70-18	10	0.30	120/90-19	12	0.35
120/60-17	9	0.27	140/70-18	11	0.33	110/80-19	9	0.27
130/60-17	9	0.27	150/70-18	12	0.35	120/70-19	11	0.33
140/60-17	10	0.30	160/70-18	14	0.41	130/60-19	10	0.30
150/60-17	11	0.33	130/60-18	10	0.30	2.00-19	4	0.12
160/60-17	12	0.35	140/60-18	11	0.33	2.50-19	5	0.15
170/60-17	13	0.38	150/60-18	12	0.35	2.75-19	6	0.18
180/60-17	14	0.41	160/60-18	13	0.38	3.00-19	6	0.18
160/55-17	12	0.35	170/60-18	14	0.41	3.25-19	8	0.24
170/55-17	13	0.38	180/55-18	14	0.41	3.50-19	8	0.24
180/55-17	14	0.41	200/55-18	17	0.50	3.60-19	7	0.21
190/55-17	15	0.44	180/50-18	14	0.41	4.10-19	8	0.24
200/55-17	16	0.47	200/50-18	16	0.47	J90-19	7	0.21
180/50-17	14	0.41	240/40-18	19	0.56	L90-19	7	0.21
190/50-17	15	0.44	250/40-18	20	0.59	M90-19	8	0.24
300/40-17	25	0.74	300/35-18	25	0.74	<u>20" Rims</u>		
330/30-17	26	0.77	2.25-18	4	0.12	280/40-20	26	0.77
2.00-17	3	0.09	2.50-18	5	0.15	<u>21" Rims</u>		
2.25-17	4	0.12	2.75-18	6	0.18	70/100-21	6	0.18
2.50-17	5	0.15	3.00-18	6	0.18	80/100-21	7	0.21
2.75-17	5	0.15	3.25-18	7	0.21	80/90-21	7	0.21
3.00-17	6	0.18	3.50-18	7	0.21	90/90-21	8	0.24
3.25-17	7	0.21	3.60-18	8	0.24	80/80-21	7	0.21
3.50-17	8	0.24	4.00-18	9	0.27	100/80-21	9	0.27
4.50-17	10	0.30	4.10-18	8	0.24	120/70-21	11	0.33
4.60-17	9	0.27	4.25-18	9	0.27	2.50-21	5	0.15
5.00-17	11	0.33	4.50-18	10	0.30	2.75-21	6	0.18
5.10-17	10	0.30	4.60-18	9	0.27	3.00-21	7	0.21
S90-17	10	0.30	5.10-18	11	0.33	3.25-21	9	0.27
T90-17	10	0.30	J90-18	7	0.21	H90-21	7	0.21
<u>18" Rims</u>			L90-18	7	0.21	<u>23" Rims</u>		
90/100-18	7	0.21	M90-18	7	0.21	130/60-23	12	0.35
100/100-18	10	0.30	N90-18	9	0.27	3.00-23	8	0.24
110/100-18	11	0.33	P90-18	9	0.27			

	Ozs.	Liters		Ozs.	Liters
12" Rims			1.40-26	4	0.12
1.75-12	2	0.06	1.50-26	5	0.15
2.00-12	3	0.09	1 3/4-26	5	0.15
2.75-12	3	0.09	2.00-26	5	0.15
12.5" Rims			2.125-26	5	0.15
2.5-12.5	3	0.09	2.25-26	5	0.15
14" Rims			2 1/2-26	5	0.15
1.00-14	2	0.06	3.00-26	5	0.15
1.5-14	2	0.06	27" Rims		
1.75-14	2	0.06	1 3/16-27	3	0.09
2.00-14	3	0.09	1.00-27	3	0.09
2.25-14	3	0.09	1 1/8-27	3	0.09
16" Rims			1 1/4-27	3	0.09
1.00-16	2	0.06	1 3/8-27	5	0.15
1.50-16	2	0.06	1.75-27	5	0.15
1.75-16	3	0.09			
2.00-16	3	0.09			
2.25-16	4	0.12			
18" Rims					
1.00-18	2	0.06			
1.50-18	3	0.09			
1.75-18	3	0.09			
2.00-18	4	0.12			
2.50-18	4	0.12			
20" Rims					
1.00-20	2	0.06			
1.50-20	3	0.09			
1.75-20	4	0.12			
2.00-20	4	0.12			
2.125-20	5	0.15			
2.25-20	5	0.15			
22" Rims					
3/8-22	3	0.09			
1 1/2-22	4	0.12			
1 3/4-22	4	0.12			
24" Rims					
1.00-24	2	0.06			
1 3/8-24	3	0.09			
1 1/2-24	4	0.12			
1.75-24	4	0.12			
2.00-24	5	0.15			
2.25-24	5	0.15			
25" Rims					
1 3/8-25	4	0.12			
26" Rims					
1.00-26	3	0.09			
1 3/8-26	4	0.12			

COMMON PREFIX AND SUFFIX LETTERS USED BY THE TIRE AND RIM ASSOCIATION IN TIRE SIZE DESIGNATIONS AND THEIR DEFINITIONS

PREFIXES:

- AT** - Tires for All-Terrain Vehicles.
- DH** - Tires for agricultural and logging vehicles to be mounted on a DH drop center rim.
- LT** - Tires primarily for use on light trucks.
- P** - Tires primarily for use on passenger cars.
- T** - Tires for "temporary use" as a spare.
- VA** - Tires for agricultural and logging vehicles to be mounted on a VA multi-piece rim.
- ST** - Special tires for trailers in highway service.
- IF** - Radial agricultural tires that operate at a higher deflection than standard version metric drive wheel tires.

SUFFIXES:

TRUCK/BUS

- TR** - Tires suffix for trucks, buses and other vehicles to differentiate from cars, light trucks, etc. with similar tire designations.
- ML** - Tires used for mining and logging vehicles with some highway use.
- MH** - Tires for mobile homes.
- HC** - Tires for use on low platform trailers.

LIGHT TRUCK

- LT** - Tires used on light trucks, buses, trailers and multipurpose passenger vehicles for normal highway service.
- ST** - Special tires for trailers in highway service.

OFF-THE-ROAD

- NHS** - Tires not for highway service.
- TG** - Off-road tires not for highway service used on specialized rims.
- K** - Compactor tires.

AGRICULTURAL

- NHS** - Tires not for highway service.
- SL** - Tires limited to agricultural use.
- FI** - Tires used on farm implements with some highway use.

INDUSTRIAL

- NHS** - Tires not for highway service.
- SS** - Tires suffix for vehicles such as skid-steer loaders and other vehicles to differentiate from other vehicles that may use similar tire designations.

CYCLE

- M/C** - Tires for motorcycles.